| Ref<br># | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
|          |      | (version\$1 with equipment\$1) and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record) and   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/01/09 17:33 |
| S1       | 101  | (("(4766595") or ("3854125") or ("4342029") or ("4814638") or ("4841456") or ("4868822") or ("5068852") or ("6327594") or ("5748846") or ("5001714") or ("5068814") or ("5046034") or ("5293387") or ("4545011") or ("6912061") or ("4545011") or ("6912061") or ("4885705") or ("5272625") or ("5991729") or ("6026393") or ("4316259") or ("4785416") or ("4791312") or ("4870397") or ("4791312") or ("5508605") or ("5751536") or ("5703479") or ("5751536") or ("5805460") or ("5751536") or ("6128759") or ("6160517") or ("6381269") or ("6160517") or ("6381269") or ("5587930") or ("5875293") or ("6134674") or ("5995916") or ("6073088") or ("5995916") or ("6134674") or ("6507842") or ("5226117).pn.")). PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/01/05 13:49 |

| S2 | 49   | (("(4766595") or ("3854125") or  | USPAT; | OR | OFF   | 2006/01/05 14:22 |
|----|------|--|--------|----|-------|------------------|
| 34 | 49   | ("4342029") or ("4814638") or ("4841456") or ("4868822") or ("5068852") or ("6327594") or ("5748846") or ("538095") or ("4455654") or ("5001714") or ("5068814") or ("5046034") or ("5293387") or ("5922079") or ("4545013") or ("4545011") or ("6912061") or ("4885705") or ("5272625") or ("5991729") or ("6026393") or ("4760377") or ("4785416") or ("4791312") or ("4870397") or ("4797330") or ("5508605") or ("5519399") or ("5703479") or ("5519399") or ("5805460") or ("5835566") or ("6128759") or ("6160517") or ("6381269") or ("6396536") or ("6349744") or ("3922537") or ("4357062") or ("5587930") or ("5995916") or ("6134674") or ("5995916") or ("6134674") or ("6507842") or ("5226117).pn.")). | USOCR  | 56 | 5     | 2000,01,03 17.22 |
| S3 | 4140 | PN.<br>((database\$1 or db\$1) near<br>(memory or device))   | USPAT  | OR | OFF   | 2006/01/05 16:44 |
| 54 | 391  | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attributes or parameters))  | USPAT  | OR | OFF   | 2006/01/05 14:24 |
| S5 | 35   | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attributes or parameters))<br>and (field with (equipment or<br>version or model))   | USPAT  | OR | OFF   | 2006/01/05 14:26 |
| S6 | 4    | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attributes or parameters))<br>and (field with (equipment or<br>version or model)) and (field with<br>attribute\$1) and (field with (id or<br>identity))   | USPAT  | OR | OFF   | 2006/01/05 14:37 |
| S7 | 0    | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attribute\$1 or parameters))<br>and (field with (equipment)) and<br>(field with attribute\$1) and (field<br>with (id or identity))  | USPAT  | OR | OFF   | 2006/01/05 14:36 |
| 58 | 0    | ((database\$1 or db\$1) near<br>(memory or device)) and (field with<br>(equipment)) and (field with<br>attribute\$1) and (field with (id or<br>identity))  | USPAT  | OR | OFF , | 2006/01/05 14:36 |

| 59  | 1       | ((database\$1 or db\$1) near   | USPAT           | OR | OFF | 2006/01/05 14:38    |
|-----|---------|--|-----------------|----|-----|---------------------|
| 39  | 1       | (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or (version and model))) and (field with attribute\$1) and (field with (id or identity)) | OSIAI           | Ç. | 0   | 2000, 01, 00 1 1130 |
| S10 | 1       | ((database\$1 or db\$1) near<br>(memory or device)) and (field with<br>(equipment or (version and<br>model))) and (field with attribute\$1)<br>and (field with (id or identity))       | USPAT           | OR | OFF | 2006/01/05 14:38    |
| S11 | 29      | (field with (equipment or (version and model))) and (field with attribute\$1) and (field with (id or identity))  | USPAT           | OR | OFF | 2006/01/05 14:57    |
| S12 | 2713197 | (database\$1 or db\$1)   | USPAT           | OR | OFF | 2006/01/05 14:57    |
| S13 | 4272    | (database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1))   | USPAT           | OR | OFF | 2006/01/05 14:59    |
| S14 | 2585    | (database\$1 or db\$1) and ((class\$2 or type\$1) near (equipment\$1 or instrument\$1))  | USPAT           | OR | OFF | 2006/01/05 14:59    |
| S15 | 5       | (database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and ((first adj field) with equipment\$1)   | USPAT           | OR | OFF | 2006/01/05 15:02    |
| S16 | 840     | (database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1)   | USPAT           | OR | OFF | 2006/01/05 15:02    |
| S17 | 62      | (database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1) and (attribute\$1 with equipment)                               | USPAT           | OR | OFF | 2006/01/05 15:03    |
| S18 | 6       | (database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1) and (attribute\$1 with equipment) and (id\$1 with equipment)    | USPAT           | OR | OFF | 2006/01/05 15:03    |
| S19 | 2540    | (707/102).CCLS.  | USPAT;<br>USOCR | OR | OFF | 2006/01/05 16:28    |
| S20 | 522     | S19 and (stor\$3 with (attribute\$1))  | USPAT           | OR | OFF | 2006/01/05 16:29    |
| S21 | 8       | S19 and (stor\$3 with (attribute\$1)) and ((class or type) with equipment)   | USPAT           | OR | OFF | 2006/01/05 16:32    |
| S22 | 363     | (stor\$3 with (attribute\$1)) and ((class or type) with equipment)   | USPAT           | OR | OFF | 2006/01/05 16:33    |

| C22 | 160   | (stort? with (attributed1)) and  | USPAT   | OR | OFF | 2006/01/05 16:33 |
|-----|-------|--|---|----|-----|------------------|
| S23 | 168   | (stor\$3 with (attribute\$1)) and ((class or type) near2 equipment)  | USPAT   | OK | OFF |                  |
| S24 | 30    | (stor\$3 with (attribute\$1)) and ((class or type) near2 equipment) and (field with attribute\$1)  | USPAT   | OR | OFF | 2006/01/05 16:38 |
| S25 | 5     | (stor\$3 with (attribute\$1)) and ((class or type) near2 equipment) and (field with attribute\$1) and (field with id)  | USPAT   | OR | OFF | 2006/01/05 16:40 |
| S26 | 3710  | (first near field) and (second near field) and (third near field)  | USPAT   | OR | OFF | 2006/01/05 16:41 |
| S27 | 6146  | (first near field) and (second near field) and (third near field)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/05 16:41 |
| S28 | 1     | ((first near field) with equipment\$1) and ((second near field) with attribute\$1) and ((third near field) with id\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/05 16:43 |
| S29 | 1     | ((first near field) same equipment\$1) and ((second near field) same attribute\$1) and ((third near field) same id\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/05 16:44 |
| S30 | 11424 | ((database\$1 or db\$1) near<br>(memory or device))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/05 16:44 |
| S31 | 72    | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attributes or parameters))<br>and (field with (equipment or<br>version or model))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/05 16:48 |
| S32 | 4     | ((database\$1 or db\$1) near<br>(memory or device)) and (stor\$3<br>near2 (attributes or parameters))<br>and (field with (equipment or<br>version or model)) and (field with<br>attribute\$1) and (field with (id or<br>identity)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/05 16:45 |

|     |      |   |   |    | ·  |                  |
|-----|------|---|---|----|----|------------------|
| S33 | 1258 | ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/06 15:35 |
| S34 | 924  | ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/06 15:35 |
| S35 | 605  | (database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/09 15:15 |
| S36 | 1    | (database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and ((rang\$3) near version\$1) and (attribute\$1 or parameter\$1)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/06 15:38 |
| S37 | 11   | (database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and ((rang\$3) with version\$1) and (attribute\$1 or parameter\$1)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/06 15:38 |
| S38 | 27   | (database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and (first near version)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/09 17:13 |
| S39 | 27   | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1) and (first near<br>version) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/09 15:54 |
| S40 | 788  | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/09 17:18 |

| S41 | 90  | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1) and chamber   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 15:54 |
|-----|-----|---|---|----|------|------------------|
| S42 | 10  | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1) and chamber and<br>(rang\$3 same version\$1)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 15:58 |
| S43 | 48  | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and (attribute\$1 or<br>parameter\$1) and (rang\$3 same<br>version\$1)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 17:26 |
| S44 | 100 | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>version\$1 and ((attribute\$1 or<br>parameter\$1) with id\$1)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2006/01/09 15:59 |
| S45 | 101 | (database\$1 or db\$1 or memory)<br>and ((class\$2 or types) near<br>equipment\$1) and model\$1 and<br>(version\$1 or revision\$1) and<br>((attribute\$1 or parameter\$1) with<br>id\$1)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 16:00 |
| S47 | 32  | (database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and ((version\$1 or revision\$1) same (model\$1 or equipment\$1)) and ((attribute\$1 or parameter\$1) with id\$1) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 16:01 |
| S51 | 0   | iprsm   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 17:13 |
| S52 | 73  | (version near hierarchy)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2006/01/09 17:14 |

|     |      |  |   |    |     | 2005/04/02 17 11 |
|-----|------|--|---|----|-----|------------------|
| S53 | 40   | (version near hierarchy) and model   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:14 |
| S54 | 3    | (version near hierarchy) and model and equipment   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:16 |
| S55 | 53   | (version near (hierarchy or tree\$1 or ladder\$1 or chain\$1 or pyramid\$1)) and model and equipment                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:17 |
| S56 | 12   | (version near (hierarchy or tree\$1 or ladder\$1 or chain\$1 or pyramid\$1)) and model and equipment and revision\$1 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:17 |
| S57 | 138  | prsm   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:19 |
| S58 | 7    | prsm and version\$1  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:26 |
| S59 | 1088 | (707/203).CCLS.  | USPAT;<br>USOCR   | OR | OFF | 2006/01/09 17:26 |
| S60 | 769  | S59 and version\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:26 |
| S61 | 16   | S59 and version\$1 and ((type\$1 or class\$2) with equipment\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/09 17:27 |

| S62 | 10    | S59 and version\$1 and ((type\$1 or class\$2) with equipment\$1) and model  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:30 |
|-----|-------|---|---|------|----|------------------|
| S63 | 4630  | version\$1 and ((type\$1 or class\$2) with equipment\$1) and model  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:30 |
| S64 | 192   | version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:31 |
| S65 | 127   | version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) with record)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:32 |
| S66 | 92    | version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record)                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:32 |
| S67 | 26    | (version\$1 with equipment\$1) and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:34 |
| S68 | 16    | (version\$1 with equipment\$1) and ((type\$1 or class\$2) near equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2006/01/09 17:36 |
| S69 | 59657 | ((type\$1 or class\$2) near2<br>equipment\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2006/01/09 17:37 |

| S70 | 2164    | ((type\$1 or class\$2) near2<br>equipment\$1) and ((attribute\$1 or<br>parameter\$1) with (equipment\$1))                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2006/01/09 17:39 |
|-----|---------|--|---|------|-----|------------------|
| S71 | 15      | ((type\$1 or class\$2) near2<br>equipment\$1) and ((attribute\$1 or<br>parameter\$1) near1 (equipment\$1))<br>and (ID\$1 near1 equipment\$1) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2006/01/09 17:39 |
| S72 | 0       | (version\$1 near2 equipment\$1) and (revision\$1 near equipment\$1)  | USPAT   | OR   | OFF | 2006/01/10 10:04 |
| S73 | 25      | (version\$1 with equipment\$1) and (revision\$1 with equipment\$1)   | USPAT   | OR   | OFF | 2006/01/10 10:04 |
| S74 | 235     | ((type\$1 or class\$2) near2<br>equipment\$1) and (version\$1 with<br>equipment\$1)  | USPAT   | OR   | OFF | 2006/01/10 10:05 |
| S75 | 6       | ((type\$1 or class\$2) near2<br>equipment\$1) and (version\$1 with<br>equipment\$1) and (data with<br>revision\$1)                           | USPAT   | OR   | OFF | 2006/01/10 10:12 |
| S76 | 4       | ((type\$1 or class\$2) near2<br>equipment\$1) and (version\$1 with<br>equipment\$1) and (date with<br>revision\$1)                           | USPAT   | OR . | OFF | 2006/01/10 10:12 |
| S77 | 7       | ((type\$1 or class\$2) near2<br>equipment\$1) and (version\$1 with<br>equipment\$1) and (date with<br>(revision\$1 or modif\$8))             | USPAT   | OR   | OFF | 2006/01/10 10:24 |
| S78 | 1625493 | semiconductor\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2006/01/10 10:25 |
| S79 | 4371    | semiconductor\$1 and (position\$1 near2 chamber)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2006/01/10 13:15 |
| S80 | 48      | semiconductor\$1 and ((position\$1 near2 chamber) with equipment\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON  | 2006/01/10 13:14 |

| S81 | 0  | semiconductor\$1 and ((position\$1 near2 chamber) with equipment\$1) and (unit near2 measurement\$1)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/10 13:15 |
|-----|----|--|---|----|-----|------------------|
| S82 | 52 | semiconductor\$1 and (position\$1 near2 chamber) and (unit near2 measurement\$1)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/10 13:19 |
| S83 | 4  | semiconductor\$1 and (position\$1 near2 chamber) and (unit near2 measurement\$1) and (scale with factor)                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/10 13:34 |
| S84 | 5  | semiconductor\$1 and (position\$1 with chamber) and ((unit near2 measurement\$1) same (temperature or pressure)) and (scale with factor) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/10 13:39 |
| S85 | 20 | semiconductor\$1 and ((unit near2 measurement\$1) same (temperature or pressure)) and (scale with factor)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/10 13:39 |
| S86 | 1  | ("6128588").PN.  | USPAT;<br>USOCR   | OR | OFF | 2006/01/11 08:45 |
| S87 | 0  | S86 and ((attribute\$1 or parameter\$1) with ID\$1)  | USPAT   | OR | OFF | 2006/01/11 08:46 |
| S88 | 1  | S86 and ((attribute\$1 or parameter\$1) same ID\$1)  | USPAT   | OR | OFF | 2006/01/11 08:46 |